J. Field Ornithol. 74:439–448, 2003

Index to Volume 74

COMPILED BY MARY BOMBERGER BROWN

Abbott, S., 300–304
Accipiter spp., 27
Accipiter cooperi, 265, 266
A. gentilis, 417
Acrocephalus agricola, 84
A. dumetorum, 84
A. schoenobaenus, 81–89
A. scirpaceus, 82, 83, 86, 87, 258
Aegolius acadicus, 265
Aethia cristatella, 91, 94, 95
A. pusilla, 95, 97
A. pygmaea, 90–98
Africa, 81, 82, 294
Agelaioides (Molothrus) badius, 62, 174
Agelaius phoeniceus, 288
Agrionis montana, 174
Aimophila aestivalis, *26–30*
A. cassinii, 26
'Akepa
  Hawai'i, see *Loxops c. coccineus*
Alabama, 126
Alaska, 90, 91, 250–256, 358, 416, 417
Alauda arvensis, 230
Alberta, 4, 9, 10, 50
Alca torda, 97
Alectoris barbara, 351, 353
Alectrurus risora, 173, 177
Aleutian Islands, 90, 95
Alle alle, 95, 97
Altizer, S. M., 111–118
Amaral, M. F., 331–340
Amazilia tobaci, 208
A. henslowii, 347
Ammodramus humeralis, 59, 62, 174, 176
A. savannarum, 341–348
Amphispiza bilineata, 26
Amytornis textilis, 26
Anas discors, 133, 254
A. platyrhynchos, 1–11, 133, 185, 226, 386
A. strepera, 1–11
Andes, 32
Ani
  Groove-billed, see *Crotophaga sulcirostris*
Annumbius annumbi, 62, 174
Ant-Tanager
  Red-crowned, see *Habia rubica*
Anthus chacoensis, 59, 61–64, 172, 174, 175, 176, 177
A. correndera, 62
A. furcatus, 172, 174, 175, 176, 177
A. hellmayri, 174, 176, 177
A. lutescens, 172, 174, 175, 176, 177
A. rubescens, 423–429
Antilophia galeata, 272
Aphelocoma coerulescens, 338
Aquila chrysaetos, 416
Archilochus colubris, 23
Arctic Circle, 417
Ardea alba, 53, 54, 55, 190
A. albus, 282, 386
A. herodias, 54, 55, 187, 386
Arenaria interpres, 67
Argentina, 59–65, 172–178, 233–242, 243–249, 370–375
Arizona, 76, 78, 322, 399
Arkansas, 28
Arremon flavirostris, 273
Asia, 46, 84
Asio flammeus, 62, 174
Athene cunicularia, 26, 174, 176, 177
Atlantic Forest, 270–280
Attila spadiceus, 147
Attila
  Bright-rumped, see *Attila spadiceus*
Auklet
  Cassin's, see *Ptychoramphus aleutica*
  Crested, see *Aethia cristatella*
  Least, see *Aethia pusilla*
  Parakeet, see *Cyclorrhynchus psittacula*
  Whiskered, see *Aethia pygmaea*
Australia, 26, 119, 303
Automolus leucophthalmus, 272, 275, 277, 278
Ayala, D., 141–151
Aythya affinis, 222–229
A. americana, 224, 225, 226
A. collaris, 222–229
A. marila, 222
A. valisineria, 282
Babbler
  Fulvous, see *Turdoides fulvus*
Baja California, 23
Balent, K. L., 341–348
Ballah, S. T., 205–209
Baltic region, 81, 82, 87
Baltic Sea. 81, 82
band recovery, 1–10, 111–118, 129–135
barrier islands, 66–73
Barro Colorado Island, 148, 157–165
Bartramia longicauda, 172, 173, 174, 176, 177
Basileuterus flaveolus, 273, 278
B. hypoleucus, 273, 278
B. leucoblepharus, 273
Beartooth Mountains, 424–428
Becard
  Rose-throated, see *Pachyramphus aglaiae*
Beck, M. L., 125–128
Beck, R. A., 66–73
Belize, 149
Bering Sea, 90
Białowieża Forest, 293–299
bird communities, 59–65, 233–242
Bittern, Great, see *Botaurus stellaris*
Blackbird
  Eurasian Blackbird, see *Turdus merula*
  Red-winged, see *Agelaius phoeniceus*

Saffron-cowled, see *Xanthopsar flavus*
White-browed, see *Leistes (Sturnella) supercilliaris*
Yellow-headed, see *Xanthocephalus xanthocephalus*
Blackcap, see *Sylvia atricapilla*
Bleier, W. J., 288–292
Bluebird
Eastern, see *Sialia sialis*
Bo, M. S., 59–65
Bobolink, see *Dolichonyx oryzivorus*
body mass, 81–89
Bolivia, 331
Bollinger, K. S., 357–369
Bolshakov, C. V., 81–89
Booms, T. L., 416–422
Botaurus stellaris, 305–311
Boulinier, T., 349–356
Brachyramphus brevirostris, 95
B. marmoratus, 95
Branta canadensis, 112, 133, 357–369, 386
B. c. fulva, 357–369
B. c. moffitti, 357–369
B. c. occidentalis, 357–369
B. c. parvipes, 250–256, 357–369
Brasilia National Park, 332
Brazil, 173, 239, 240, 270–280, 331–340
British Columbia, 4, 9, 10, 119, 120, 129, 130, 132, 289
Bronze-Cuckoo, see *Chrysococcyx* spp.
brood parasitism, 37–44, 257–260
Bubo virginianus, 67
B. v. nacrurutu, 378
Bubulcus ibis, 174, 176, 177, 187, 190
Bucephala albeola, 386
Budgerigar, see *Melopsittacus undulatus*
Buenos Aires Province, 233–242, 244
Bufflehead, see *Bucephala albeola*
Bull, E. L., 394–400
Bulyuk, V. N., 81–89
Bunting
House, see *Emberiza striolata*
Indigo, see *Passerina cyanea*
Meadow, see *Embriza cioides*
Snow, see *Plectrophenax nivalis*
Buteo swainsoni, 172, 173, 174, 176, 177
Buteogallus meridionalis, 336
Buzzard-Eagle,
Black-chested, see *Geranoaetus melanoleucus*
Cacicus melanicterus, 147
Cacique
Yellow-winged, see *Cacicus melanicterus*
Cadena, C. D., 210–216
Calcarius lapponicus, 419, 427
Calidris alpina, 401–405
C. ferruginea, 230
C. melanotos, 177
California, 1, 4, 7, 9, 10, 17–25, 74–80, 163, 261–269, 300–304, 402, 403, 416, 424
Calocitta formosa, 338
Camargue, 305, 306
camera techniques (photography, videography), 261–269, 288–292, 416–422
Campylopterus spp., 205
Campylorhynchus nuchalis, 166–171
Canada, 50, 130, 172, 382, 416
Canvasback, see *Aythya valisineria*
Cape Rossitten, 84, 85, 87
capture-recapture, 1–10, 111–118, 129–135, 187–192, 321–330, 349–356
Caracara cheriway, 321–330
C. (Polyborus) plancus, 174, 176, 245, 334
Caracara
Chimango, see *Milvago chimango*
Crested, see *Caracara cheriway*
Southern Crested, see *Caracara plancus*
Yellow-headed, see *Milvago chimachima*
Carduelis pinus, 122, 125–128
Carter, H. R., 90–98
Casañas, H. E., 172–178
Cassará, C., 370–375
Cassowary
Dwarf, see *Casuarius bennetti*
Casuarius bennetti, 193–196
Cathartes aura, 174
Catharus ustulatus, 22
Catry, P., 230–232
census techniques, 12–16, 53–58, 111–118, 119–124, 210–216, 230–232, 281–287, 349–356, 376–380, 381–393
Central Flyway, 359
Central Valley, 74–80
Cerrado biome, 331–340
Certhia americana, 121
Chaco Forest, 60, 64
Chaetura pelagica, 395, 399
C. vauxi, 394–400
Chaffinch, see *Fringilla coelebs*
Chamela-Cuixmala Biosphere Reserve, 141–151
Changbai Mountains, 38
Charadrius alexandrinus, 300–304, 401–405
C. melodus, 300, 303, 401–405
C. modestus, 233–242
C. montanus, 74–80
C. vociferous, 401–405
Chasiempis sandwichensis, 406–415
Chernetsov, N., 81–89
Chesapeake Bay, 68
Chiapas, 142
Chickadee
Black-capped, see *Poecile atricapillus*
Chestnut-backed, see *Poecile rufescens*
Chiffchaff, see *Phylloscopus collybita*
Chile, 239, 370, 373
China, 37, 38
Chiroxiphia caudata, 272, 275, 278
C. linearis, 413, 414
Chrysococcyx spp., 258, 259
Ciconia maguari, 174
Circus buffoni, 174, 245
C. cinereus, 62
C. cyaneus, 27
Cisticola juncidis, 351, 353
Cistothorus palustris, 289, 290, 291
C. platensis, 174
Clamator jacobinus, 258
Clangula hyemalis, 419
climate change, 423–429
Cnemotriccus fuscatus, 272
Coccyzus americanus, 258, 259

C. erythropthalmus, 257–260
C. pumilus, 259
Coereba flaveola, 273
Colaptes campestris, 172, 174, 176, 177
Colombia, 166, 206, 339
colonies, 66–73, 217–221, 281–287
color banding (marking), 111–113, 129–135
Colorado, 8, 75, 423
Columba maculosa, 174
C. picazuro, 174
Columbia River Basin, 1–2, 4, 6, 7, 9, 10, 395
Columbina picui, 174
Commander Islands, 90
Condor
  Andes, see *Vultur gryphus*
Conopophaga lineata, 272, 275, 278
conservation and management, 45–52, 59–65, 73–80, 136–140, 172–178, 222–229, 233–242, 300–304, 321–330, 341–348, 357–369, 394–400
cooperative breeding, 166–171, 331–340
Coragyps attratus, 174
Córdoba province, 172–178
Cormorant
  Bank, see *Phalacrocorax neglectus*
  Double-crested, see *Phalacrocorax auritus*
  Great, see *Phalacrocorax carbo; P. c. sinensis*
  Neotropic, see *Phalacrocorax olivaceus*
  Red-legged, see *Phalacrocorax gaimardii*
Corvus brachyrhynchos, 288
C. ossifragus, 67
Coryphaspiza melanotis, 173
Corythopis delalandi, 272
Costa Rica, 148, 163, 210–216, 379, 380
Coturnix coturnix, 243–249, 332
Courish Spit, 81–89
Cowbird
  Bay-winged, see *Molothrus* (*Agelaioides*) *badius*
  Brown-headed, see *Molothrus ater*
  Screaming, see *Molothrus rufoaxillaris*
  Shiny, see *Molothrus bonariensis*
Crax alector, 213, 214
C. rubra, 210–216
Creeper
  Brown, see *Certhia americana*
Crested-Caracara
  Southern, see *Caracara plancus*
Crotophaga sulcirostris, 147
Crow
  American see *Corvus brachyrhynchos*
  Fish, see *Corvus ossifragus*
Crozier, G. E., 53–58
Cuckoo
  Black-billed, see *Coccyzus erythropthalmus*
  Common, see *Cuculus canorus*
  Dwarf, see *Coccyzus pumilus*
  Guira, see *Guira guira*
  Jacobin, see *Clamator jacobinus*
  Yellow-billed, see *Coccyzus americanus*
Cuculus spp., 38
Cuculus canorus, 258, 259
Cumbee, J. C., Jr., 152–156
Curassow
  Black, see *Crax alector*
  Great, see *Crax rubra*
  Horned, see *Pauxi unicornis*
  Nocturnal, see *Nothocrax urumutum*
  Razor-billed, see *Mitu tuberosa*
  Salvin's, see *Mitu salvini*
Cyanocitta stelleri, 265
Cyanocorax beecherii, 339
C. caeruleus, 339
C. chrysops, 337, 339
C. cristatellus, 331–340
C. dickeyi, 339
C. melanocyanea, 339
C. sanblasianus, 147, 339
C. yncas, 337, 339
C. yucatanica, 339
Cyclarhis gujanensis, 272
Cyclorrhynchus psittacula, 95
Cygnus olor, 413
Davis, A. K., 111–118
Dean, T. F., 26–31
decoys, 53–58, 187–192
Delaware, 13, 42
Delaware Bay, 13
Delta Marsh, 257–260
Demaria, M. R., 59–65
Dendrocincla anabatina, 149
D. fuliginosa, 148, 149
Dendrocopos major, 297
Dendroica caerulescens, 42, 279
D. discolor, 31
Deng, W-H., 37–44
Di Giacomo, A. S., 172–178
Dickcissel, see *Spiza americana*
diet, 157–165, 193–196, 270–280, 416–422
Diuca diuca, 62
Dolichonyx oryzivorus, 172, 173, 176, 177
Dotterel
  Rufous-chested, see *Charadrius modestus*
  Tawny-throated, see *Oreopholus ruficollis*
Dove
  Diamond, see *Geopelia cuneata*
  Eared, see *Zenaida auriculata*
  Mourning, see *Zenaida macroura*
  Palm, see *Streptopelia senegalensis*
Dovekie, see *Alle alle*
Drake, K. L., 401–405
Druliner, G., 193–196
Dryocopus pileatus, 395
Duck
  Harlequin, see *Histrionicus histrionicus*
  Long-tailed, see *Clangula hyemalis*
  Ring-necked, see *Aythya collaris*
  Ruddy, see *Oxyura jamaicensis*
duetting, 31–36
Dunlin, see *Calidris alpina*
Durães, R., 270–280
Dyrcz, A., 157–165
Dysithamnus mentalis, 272, 275, 278
Eagle
  Bald, see *Haliaeetus leucocephalus*
  Golden, see *Aquila chrysaetos*
  White-tailed, see *Haliaeetus albicilla*
Ecuador, 138
Egg Island, 91, 95
egg laying, 31–36, 257–260, 423–429

Egret
Cattle, see *Bubulcus ibis*
Great, see *Ardea alba*
Snowy, see *Egretta thula*
Egretta caerulea, 54, 55, 190
E. thula, 53, 54, 55, 190
E. tricolor, 54, 55, 190
El Parque Nacional Tikal, 379
Elaenia chiriquensis, 272
Elanus leucurus, 174
'Elepaio, see *Chasiempis sandwichensis*
Elfessi, A., 179–186
Emberiza striolata, 351, 353
Embernagra platensis, 174
Embriza cioides, 37–44
Empidonax oberholseri, 261–269
Er, K. B. H., 119–124
Erithacus rubecula, 82
Estonia, 87
Eudocimus albus, 54, 55, 187–192, 283
E. ruber, 187
Europe, 81, 82, 293
Everglades, 187–198
Falco femoralis, 62, 174
F. peregrinus, 67, 416, 421
F. rusticolus, 416–422
F. sparverius, 27, 28, 174
Falcon
Aplomado, see *Falco femoralis*
Peregrine, see *Falcon peregrinus*
Far East, 45
Farallon Island, 23, 24
feather growth, 125–128
Fernández, G. J., 243–249
Ficedula albicollis, 293–299
F. hypoleuca, 83
Finch
Black-masked, see *Coryphaspiza melanotis*
House, see *Carpodacus mexicanus*
Finland, 82, 87
Flicker
Field, see *Colaptes campestris*
Flinks, H., 157–165
flooding pampas, 233–242, 244, 270–280
Florida, 26–30, 54, 187–192, 282, 283, 321–330, 338
Flycatcher
Brown-chested, see *Myiarchus tyrannulus*
Collared, see *Ficedula albicollis*
Dusky, see *Empidonax oberholseri*
Dusky-capped, see *Myiarchus tuberculifer*
Fork-tailed, see *Tyrannus savanna*
Gray-capped, see *Myiozetetes granadensis*
Nutting's, see *Myiarchus nuttingi*
Pied, see *Ficedula hypoleuca*
Rusty-margined, see *Myiozetetes cayanensis*
Social, see *Myiozetetes similis*
Strange-tailed, see *Alectrurus risora*
foraging, 157–165, 193–196, 331–340, 416–422
Fournier, F., 179–186
France, 50, 162, 305, 306
Fratercula corniculata, 95
Frederick, P. C., 187–192, 281–287
Freed, L. A., 406–415
French Guiana, 162, 376, 378
Frere, E., 370–375
Fringilla coelebs, 351, 353
Fuller, M. R., 416–422
Furnarius rufus, 174
Gadwall, see *Anas strepera*
Gaines, K. F., 152–156
Galapagos Archipelago, 136–140
Galapagos Islands, 136
Galerida cristata, 351, 353
Gandini, P., 370–375
Gao, W., 37–44
Garcia, K. M., 205–209
Gardali, R., 17–26
Gatherer
Firewood, see *Annumbius annumbi*
Gavia immer, 179–186, 386
Gawlik, D. E., 53–58
Geopelia cuneata, 263
George, T. L., 261–269
Georgia, 152–156
Geospiza spp., 414
Geranoaetus melanoleucus, 174
Germany, 50
Gibbs, J. P., 136–140
Gill, S. A., 31–36
Giudice, J. H, 1–11
Glaucidium brasilianum, 378, 379
G. hardyi, 378
Gnatcatcher
Blue-gray, see *Polioptila caerulea*
Godwit
Hudsonian, see *Limosa haemastica*
Golden-Plover
American, see *Pluvialis dominica*
Goose
Canada, see *Branta canadensis*
Dusky Canada, see *Branta canadensis occidentalis*
Lesser Canada, see *Branta canadensis parvipes*
Vancouver, see *Branta canadensis fulva*
Western, see *Branta canadensis moffitti*
Goshawk
Northern, see *Accipiter gentilis*
Grackle
Boat-tailed, see *Quiscalus major*
Common, see *Quiscalus quiscula*
grassland birds, 59–65, 172–178, 233–242, 341–348
Grasswren
Thick-billed, see *Amytornis textilis*
Great Lakes, 381, 382, 391
Great Lakes Plain ecozone, 342
Great Plains, 78, 288, 289, 290, 292
Greenberg, R. 12–16
Greenland, 427
Grosbeak
Yellow, see *Pheucticus chrysopeplus*
Ground-Dove
Picui, see *Columbina picui*
Guatemala, 379, 380
Guira guira, 176, 245
Gulf of California, 75
Gull
Bonaparte's, see *Larus philadelphia*
Brown-hooded, see *Larus maculipennis*
Dolphin, see *Larus scoresbii*

Great Black-backed, see *Larus marinus*
Herring, see *Larus argentatus*
Laughing, see *Larus atricilla*
Olrog's, see *Larus atlanticus*
Ring-billed, see *Larus delawarensis*
Gutreuter, S., 179–186
Guyana, 206
Gyrfalcon, see *Falco rusticolus*
Haas, C. A., 141–151
Habia rubica, 147
habitat edges, 37–44
habitat selection, 45–52, 74–80, 141–151, 152–156
Haig, S. M., 401–405
Haliaeetus albicilla, 416
H. leucocephalus, 185, 253, 416
Haplospiza unicolor, 273
Harrier
Long-winged, see *Circus buffoni*
Northern, see *Circus cyaneus*
Hawai'i, 406–415
Hawaiian Islands, 406–415
Hawk
Cooper's, see *Accipiter cooperi*
Roadside, see *Rupornis magnirostris*
Savanna, see *Buteogallus meridionalis*
Swainson's, see *Buteo swainsoni*
Hayes, F. E., 205–209
Heath, J. A., 187–192
Hendricks, P., 423–429
Hermit
Dusky-throated, see *Phaethornis squalidus*
Green, see *Phaethornis g. guy, P. g. coruscus*
Little, see *Phaethornis longuemareus*
Long-billed, see *Phaethornis longirostris*
Long-tailed, see *Phaethornis superciliosus*
Reddish, see *Phaethornis ruber*
Scale-throated, see *Phaethornis eurynome*
Sooty-capped, see *Phaethornis augusti*
Straight-billed, see *Phaethornis bourcieri*
Stripe-throated, see *Phaethornis striigularis*
Tawny-bellied, see *Phaethornis syrmatophorus*
White-whiskered, see *Phaethornis yaruqui*
Heron
Black-crowned Night, see *Nycticorax nycticorax*
Great Blue, see *Ardea herodias (albus)*
Little Blue, see *Egretta caerulea*
Tricolored, see *Egretta tricolor*
Whistling, see *Syrigma sibilatrix*
Herpsilochmus atricapillus, 272
Heteroxolmis dominicana, 177
Hill, G. E., 125–128
Histrionicus histrionicus, 129–135, 254
Hokkaido, 46
home range, 26–30, 141–151, 331–340
Hoopoe, see *Upupa epops*
Hornero
Rufous, see *Furnarius rufus*
Howell, S. N. G., 17–26
Hummingbird
Allen's, see *Selasphorus sasin*
Copper-rumped, see *Amazilia tobaci*
Ruby-throated, see *Archilochus colubris*
Rufous, see *Selasphorus rufus*
Hupp, J. W., 250–256
Hylocichla spp. 82
Hylocichla mustelina, 266
Hylophilus amaurocephalus, 272, 278
Hylton, B., 281–287
Hymenops perspicillatus, 174
Ibis
Glossy, see *Plegadis falcinellus*
Scarlet, see *Eudocimus ruber*
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
Icterus pustulatus, 147
I. spurius, 35
Idaho, 4, 9, 416
Ilicura militaris, 272, 278
Illinois, 10
Imperial Valley, 74–80
Indiana, 50
Innes, J. L., 119–124
Isacch, J. P., 59–65, 233–242
Israel, 50
Italy, 50
Jalisco, 142, 143, 145, 146
Japan, 45–52
Jay
Azure, see *Cyanocorax caeruleus*
Beechey, see *Cyanocorax beecherii*
Bushy-crested, see *Cyanocorax melanocyanea*
Curl-crested, see *Cyanocorax cristatellus*
Florida Scrub, see *Aphelocoma coerulescens*
Green, see *Cyanocorax yncas*
Plush-crested, see *Cyanocorax chrysops*
San Blas, see *Cyanocorax sanblasianus*
Steller's, see *Cyanocitta stelleri*
Tufted, see *Cyanocorax dickeyi*
Yucatan, see *Cyanocorax yucatanica*
Jiménez, I., 210–216
Johnson, N. C., 205–209
Junco hyemalis, 424, 427
Junco
Dark-eyed, see *Junco hyemalis*
Kaua'i, 408
Karasov, W. H., 179–186
Keedwell, R. J., 217–221
Kenow, K. P., 179–186
Kestrel
American, see *Falco sparverius*
Killdeer, see *Charadrius vociferous*
Kinglet
Golden-crowned, see *Regulus satrapa*
Kiskadee
Great, see *Pitangus sulphuratus*
Kite
White-tailed, see *Elanus leucurus*
Klamath National Forest, 262
Knopf, F. L., 74–80
Kola Peninsula, 82
Koons, D. N., 222–229
Kozak, A., 119–124
Kuril Islands, 90
Lagopus leucurus, 424
L. mutus, 419
Lake Chaika, 84
Lake Erie, 381–393
Lanius bucephalus, 45–52

L. collurio, 50
L. cristatus, 37, 38, 40, 41, 42, 45–52
L. excubitor, 50, 351, 353
L. ludovicianus, 50, 404
L. senator, 50
Lapwing
Southern, see *Vanellus chilensis*
Lark
Crested, see *Galerida cristata*
Larus argentatus, 66–73, 282, 381–393
L. atlanticus, 373
L. atricilla, 66–73, 286
L. delawarensis, 381–393
L. maculipennis, 245
L. marinus, 66–73, 381–393
L. philadelphia, 381–393
L. scoresbii, 373
Laterallus spilonotus, 136–140
Lathrotriccus euleri, 272, 275, 278
Lecoq, M., 230–232
Lefebvre, G., 305–311
Leistes (*Sturnella*) *supercilliaris*, 62, 174
lekking, 205–209
Lepidocolaptes fuscus, 272, 277, 278
L. leucogaster, 148
L. souleyetti, 149
Leptopogon amaurocephalus, 272, 275, 278
Lesser Antilles, 163
Liebezeit, J. R., 261–269
Limosa haemastica, 240
line (strip) transect, 59–65, 119–124, 210–216, 376–380
Linz, G. M., 288–292
Lloyd, H., 376–380
Lochmias nematura, 272
Londoño, G. A., 210–216
Longspur
Lapland, see *Calcarius lapponicus*
Loon
Common, see *Gavia immer*
Lophostrix cristata, 378, 379
Loxops c. coccineus, 414
Lucas, F. B., 205–209
Lutman, M. W., 288–292
Macedo, R. H. F., 331–340
Maceira, N. O., 59–65
Machetornis rixosus, 174
Mack, A. L., 193–196
Magpie
Black-billed, see *Pica pica*
Magpie-Jay
White-throated, see *Calocitta formosa*
Maine, 346
Malacoptila striata, 273, 275, 278
Malaysia, 162
Malcroneotes giganteus, 373
Mallard, see *Anas platyrhynchos*
Malvinas (Falkland) Islands, 370, 373
Manakin
Long-tailed, see *Chiroxiphia linearis*
Manitoba, 10, 50, 222–229, 257–260
Marini, M. Â., 270–280
Marshbird
Brown-and-yellow, see *Pseudoleistes virescens*
Martínez, M. M., 233–242
Massachusetts, 346
Mauna Kea, 408
Meadowlark
Long-tailed, see *Sturnella loyca*
Pampas, see *Sturnella defilippii*
Mediterranean, 87
Megaceryle spp., 26
Mehl, K. R., 401–405
Melanerpes chrysogenys, 147
M. erythrocephalus, 112
Melopsittacus undulatus, 170, 263
Melospiza georgiana, 12–16
Merganser
Red-breasted, see *Mergus serrator*
Mergus serrator, 386
Mermoz, M. E., 243–249
Mexico, 17, 23, 76, 141–151
Meyer, M. W., 179–186
migration, 17–25, 81–89, 233–242
Milligan, J. L., 111–118
Milvago chimachima, 336
M. chimango, 62, 172, 174, 176, 177, 245
Minnesota, 10, 50
Mionectes rufiventris, 272, 275, 278
Mississippi Flyway, 359
Mississippi River, 382
Missouri, 50, 346
Mitrus, C., 293–299
Mitu salvini, 213, 214
M. tuberosa, 213
Mniotilta varia, 147
Molothrus ater, 246
M. (*Agelaioides*) *badius*, 62, 174
M. bonaeriensis, 62, 174, 243–249
M. rufoaxillaris, 174, 244
molt, 90–98
Monjita
Black-and-white, see *Heteroxolmis dominicana*
White, see *Xolmis irupero*
Montana, 4, 9, 75, 424, 425, 428
Monte Desert, 60, 62, 64
morphometrics, 90–98, 357–369, 370–375
Morrison, J. L., 321–330
Mukhin, A., 81–89
Mulcahy, D. M., 250–256
Murrelet
Ancient, see *Synthliboramphus antiquus*
Kittlitz's, see *Brachyramphus brevirostris*
Marbled, see *Brachyramphus marmoratus*
Mycteria americana, 187, 282
Myiarchus nuttingi, 147
M. tuberculifer, 147
M. tyrannulus, 147
Myiopagis caniceps, 272
M. viridicata, 272
Myiositta monachus, 174
Myiozetetes cayanensis, 157–165
M. granadensis, 163
M. similis, 157–165, 208
nasal discs, 129–135
Neotropics (Neotropical), 32, 210, 243, 244, 376, 379
nest departure calls, 12–16

nest predation, 37–44, 66–73, 243–249, 261–269, 288–292
nest success, 37–44, 66–73, 217–221, 222–229, 243–249, 261–269, 293–299, 331–340, 341–348, 394–400
Nevada, 416
New Hampshire, 42
New Mexico, 78
New York, 286, 341–348
New Zealand, 217, 218
Norment, C. J., 341–348
North America, 8, 10, 119, 152, 172, 173, 222, 248, 322, 341, 357, 381, 394, 424
North Dakota, 10, 50, 288–292
Norway, 416
Nothocrax urumutum, 214
Nothura darwini, 62, 172, 174, 175, 176, 177
N. maculosa, 62, 174, 175, 176
Nothura
Darwin's, see *Nothura darwinii*
Nuthatch
Red-breasted, see *Sitta canadensis*
Nycticorax nycticorax, 67, 386
O'ahu, 408, 414
O'Connell, T. J., 66–73
Ohau River, 217, 218, 220
Ohio, 382
Ontario, 289, 382, 383, 384
Oregon, 4, 6, 7, 9, 17, 253, 394–400, 402, 403
Oreopholus ruficollis, 233–242
Oriole
Orchard, see *Icterus spurious*
Streak-backed, see *Icterus pustulatus*
Otus choliba, 378, 379
O. watsonii, 378, 379
Ovenbird, see *Seiurus aurocapillus*
Owl
Amazonian Pygmy, see *Glaucidium hardyi*
Barn, see *Tyto alba*
Black-and-White, see *Strix nigrolineata*
Black-banded, see *Strix huhula*
Burrowing, see *Athene cunicularia*
Crested, see *Lophostrix cristata*
Ferruginous Pygmy, see *Glaucidium brasilianum*
Great Gray, see *Strix nebulosa*
Great Horned, see *Bubo virginianus; B. v. nacrurutu*
Mottled, see *Strix virgata*
Northern Saw-whet, see *Aegolius acadicus*
Short-eared, see *Asio flammeus*
Spectacled, see *Pulsatrix perspicillata*
Tawny-bellied, see *Otus watsonii*
Tropical Screech, see *Otus choliba*
Oxyura jamaicensis, 134
Pachyramphus aglaiae, 147
Pacific Flyway, 357–369
Pacific Northwest, 2, 358, 394, 395
Pacific Ocean, 90, 136
Page, G. W., 300–304, 401–405
pampa grasslands, 59–65, 233–242, 244
Pampa-Finch
Greater, see *Embernagra platensis*
Panama, 32, 157, 158
Papua New Guinea, 193–196
Paraguay, 173, 240, 331
Parakeet
Monk, see *Myiositta monachus*
Parc Nacional Manu, 378
Paria Peninsula, 205, 206
Partridge
Barbary, see *Alectoris barbara*
Parula pitiayumi, 147
Parula
Tropical, see *Parula pitiayumi*
Parus ater, 230
P. caeruleus, 351, 353
P. palustris, 297
Passer domesticus, 351, 353
Passerina cyanea, 42, 266
Patagonia, 239, 370–375
Pauxi unicornis, 213
Pearce, J. M., 250–256, 357–369
Peluc, S., 59–65
Peru, 239, 376–380
Petrel
Dark-rumped, see *Pterodroma phaeopygia*
Southern Giant, see *Malcronectes giganteus*
Phaethornis augusti, 205–209
P. bourcieri, 206
P. eurynome, 206
P. guy coruscus, 206, 208, 209
P. g. guy, 206, 208, 209
P. longirostris, 206, 208, 209
P. longuemareus, 206, 208
P. ruber, 206, 208
P. squalidus, 206
P. striigularis, 206
P. superciliosus, 206, 208
P. syrmatophorus, 206
P. yaruqui, 206, 208
Phalacrocorax atriceps, 373
P. auritus, 282, 373, 381–393
P. bransfieldensis, 373
P. carbo, 373
P. c. sinensis, 373
P. gaimardii, 373
P. magellanicus, 370–375
P. neglectus, 373
P. olivaceus, 373
P. purpurascens, 373
Phalarope
Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 177
philopatry, 45–52
Philydor rufus, 272, 275, 277
Phylloscopus collybita, 230–232
Piatt, J. F., 90–98
Pica pica, 288, 289
Picumnus cirratus, 272
Pigeon
Picazuro, see *Columba picazuro*
Spot-winged, see *Columba maculosa*
Pipilo fuscus, 26
P. maculatus, 121
Pipit
American, see *Anthus rubescens*
Chaco, see *Anthus chacoensis*
Correndera, see *Anthus correndera*
Hellmayr's, see *Anthus hellmayri*

Short-billed, see *Anthus furcatus*
Yellowish, see *Anthus lutescens*
Pitangus sulphuratus, 245
Pitocchelli, J., 90–98
Platyrinchus mystaceus, 272, 275, 278
Plectrophenax nivalis, 419
Plegadis chihi, 176, 177
P. falcinellus, 54, 55, 190
Plover
Hooded, see *Thinornis rubricollis*
Mountain, see *Charadrius montanus*
Piping, see *Charadrius melodus*
Snowy, see *Charadrius alexandrinus*
plumage, 53–58, 90–98, 125–128, 357–369, 406–415
Pluvialis dominica, 177, 233–242
Poecile atricapillus, 121, 170
P. rufescens, 121
point counts, 12–16, 119–124, 141–151, 173, 349–356, 381–393
Point Reyes National Seashore, 18, 300–304
Poland, 293–299
Polioptila caerulea, 147, 267
Polyborus (*Caracara*) *plancus*, 62, 334
population estimates, 12–16, 17–25, 119–124, 141–151, 172–178, 341–348, 349–356, 376–380, 381–393
Portugal, 230
Porzana carolia, 153
Poulin, B., 305–311
predation, 37–44, 66–73, 243–249, 288–292, 293–299
predator avoidance, 26–30
Price, J. J., 166–171
Pseudoleistes virescens, 243–249
Ptarmigan
Rock, see *Lagopus mutus*
White-tailed, *Lagopus leucurus*
Pterodroma phaeopygia, 139
ptilochronology, 125–128
Ptychoramphus aleutica, 95
Puffin
Horned, see *Fratercula corniculata*
Pulsatrix perspicillata, 378, 379
Pyriglena leucoptera, 272
Quail
Japanese, see *Coturnix coturnix*
Quintana, F., 370–375
Quiscalus major, 67
Q. quiscula, 40, 290
radio tracking (marking), 141–151, 179–186, 217–221, 250–256
Rail
Clapper, see *Rallus longirostris*
Galapagos, see *Laterallus spilonotus*
King, see *Rallus elegans*
Rallus elegans, 153
R. longirostris, 152–156
Ramjohn, C. L., 205–209
Razorbill, see *Alca torda*
Redhead, see *Aythya americana*
Regehr, H. M., 129–135
Regulus satrapa, 121
regurgitation, 270–280
Rhea americana, 59, 62, 64
Rhea
Greater, see *Rhea americana*
Robin
American, see *Turdus migratorius*
European, see *Erithacus rubecula*
Rocky Mountains, 424
Rodway, M. S., 129–135
Rotella, J. J., 222–229
Ruane, M., 281–287
Ruhl, G. A., 250–256
Ruhlen, T. D., 300–304
Rupornis magnirostris, 336
Russia, 81
Rynchops niger, 66–73
Rynchotus rufescens, 62
Saltator similes, 273
Salton Sea, 75, 76, 78
San Joaquin Valley, 74
San Luis Province, 60
Sandpiper
Buff-breasted, see *Tryngites subruficollis*
Curlew, see *Calidris ferruginea*
Pectoral, see *Calidris melanotos*
Upland, see *Bartramia longicauda*
Santa Cruz Island, 136–140
Sanzenbacher, P. M., 401–405
Saskatchewan, 8, 10
Sawin, R. S., 288–292
Scaup
Greater, see *Aythya marila*
Lesser, see *Aythya affinis*
Sclerurus scansor, 272, 278
Scotland, 162
Sealy, S. G., 257–260
Seedeater
Double-collared, see *Sporophila caerulscens*
Seiurus aurocapillus, 277, 279
Selasphorus rufus, 17–26
S. sasin, 17–26
Selmi, S., 349–356
Serin, see *Serinus serinus*
Serinus serinus, 351, 353
sex determination, 370–375
sex ratio, 17–25
Shag
Antarctic, see *Phalacrocorax bransfieldensis*
Imperial, see *Phalacrocorax atriceps*
Macquarie, see *Phalacrocorax purpurascens*
Rock, see *Phalacrocorax magellanicus*
Shawkey, M. D., 125–128
Shrike
Brown, see *Lanius cristatus*
Bull-headed, see *Lanius bucephalus*
Great Grey, see *Lanius excubitor*
Loggerhead, see *Lanius ludovicianus*
Red-backed, see *Lanius collurio*
Woodchat, see *Lanius senator*
Shrike-Tyrant
Black-billed, see *Agrionis montana*
Shriver, W. G., 136–140
Sialia sialis, 127
Sicalis flaveola, 62, 174, 176
S. luteola, 62, 174
Sierra Madre Occidental, 23
Sierra Nevada, 22, 424

Siskin
Pine, see *Carduelis pinus*
Sitta canadensis, 121
Sittasomus griseicapillus, 149, 272
Skimmer
Black, see *Rynchops niger*
Skylark, see *Alauda arvensis*
Somoza, G., 370–375
Sonora, 142
Sora, see *Porzana carolia*
South America, 32, 59, 60, 64, 172, 234, 239, 337, 339, 370
South Dakota, 10
South Greenland, 416
Sparrow
Bachman's, see *Aimophila aestivalis*
Black-throated, see *Amphispiza bilineata*
Cassin's, see *Aimophila cassinii*
Field, see *Spizella pusilla*
Grasshopper, see *Ammodramus savannarum*
Grassland, see *Ammodramus humeralis*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Rufous-collared, see *Zonotrichia capensis*
Swamp, see *Melospiza georgiana*
White-crowned, see *Zonotrichia leucophrys*
Spiza americana, 172
Spizella pusilla, 266
Sporophila caerulscens, 174
Sporophila spp., 173
Stapanian, M. A., 381–393
Stenzel, L. E., 300–304
Stephens, W. L., Jr., 152–156
Sterna albostriata, 217–221
S. antillarum, 66–73
S. caspia, 386
S. hirundo, 66–73, 185, 386
S. nilotica, 66–73
Stork
Maguari, see *Ciconia maguari*
Wood, see *Mycteria americana*
Strait of Georgia, 129, 132
Streptopelia senegalensis, 351, 353
Strix huhula, 378, 379
S. nebulosa, 416
S. nigrolineata, 378, 379
S. virgata, 378, 379
Sturnella defilippii, 173, 177
S. loyca, 59, 62, 172, 174, 176, 177
S. (Leistes) supercilliaris, 62, 174
survey techniques, 12–16, 119–124, 210–216, 281–287, 305–311
survival, 1–10, 179–186, 217–221, 300–304, 321–330, 341–348
Svageli, W. S., 243–249
Swan
Mute, see *Cygnus olor*
Sweden, 82, 87
Swift
Chimney, see *Chaetura pelagica*
Vaux's, see *Chaetura vauxi*
Sylvia atricapilla, 82, 230, 232
Synallaxis ruficapilla, 272
Synthilboramphus antiquus, 95
Syrigma sibilatrix, 174
Tachyphonus coronatus, 273, 275, 277
Takagi, M., 45–52
Tambopata, 376, 377, 379
Tangara cayana, 273
tartar emetic, 270–280
Teal
Blue-winged, see *Anas discors*
telemetry, 141–151, 179–186, 193–196, 217–221, 250–256
Tern
Black-fronted, see *Sterna albostriata*
Caspian, see *Sterna caspia*
Common, see *Sterna hirundo*
Gull-billed, see *Sterna nilotica*
Least, see *Sterna antillarum*
Texas, 76, 322, 399, 402, 403, 416
Thamnophilus caerulescens, 272, 275
Thinornis rubricollis, 300, 303
Thompson, J. E., 401–406
Thrush
Swainson's, see *Catharus ustulatus*
Wood, see *Hylocichla mustelina*
Thryothorus leucotis, 31–36
T. ludovicianus, 35
time budgets, 129–135
Tinamou
Darwin's, see *Nothura darwinii*
Spotted, see *Nothura maculosa*
Tit
Blue, see *Parus caeruleus*
Coal, see *Parus ater*
Marsh, see *Parus palustris*
Tolmomyias sulphurescens, 272, 275
Tomeo, M. A., 250–256
Towhee
Brown, see *Pipilo fuscus*
Spotted, see *Pipilo maculatus*
trapping techniques, 53–58, 187–192, 230–232, 401–405
Trichothraupis melanops, 273, 275, 277, 278
Troglodytes aedon, 399
T. troglodytes, 121
Tryngites subruficollis, 177, 233–242
Tumengling Mountains, 38
Tunisia, 349–356
Turdoides fulvus, 351, 353
Turdus albicollis, 272, 277, 278
T. leucomelas, 272
T. merula, 351, 353
T. migratorius, 31, 35, 121, 428
T. rufiventris, 272, 275
Turnstone
Ruddy, see *Arenaria interpres*
Tyrannus savanna, 172, 174, 176
Tyrant
Cattle, see *Machetornis rixosus*
Spectacled, see *Hymenops perspicillatus*
Strange-tailed, see *Alectrurus risora*
Tyto alba, 245
Uhart, M., 370–375
Unalaska Island, 91
United States, 42, 152, 172, 395, 401
Upupa epops, 351, 353

Uria spp., 97
Uruguay, 239, 240
Utah, 4, 9
Vancouver, 119, 120
VanderWerf, E. A., 406–415
Vanellus chilensis, 172, 174, 176, 177
Vargas, H., 136–140
Vega Rivera, J. H., 141–151
Venezuela, 166, 167, 173, 205–209
Veniliornis passerinus, 272
Vermivora ruficapilla, 147
Vickery, P. D., 26–31, 172–178
Vireo gilvus, 22
V. olivaceus, 272
Vireo
  Warbling, see *Vireo gilvus*
Virginia, 66–73, 155
Virginia barrier islands, 66–73
vocalizations, 12–16, 31–36, 166–171, 205–209, 210–216, 305–311
Vultur gryphus, 172, 174, 177
Vulture
  Black, see *Coragyps attratus*
  Turkey, see *Cathartes aura*
Waite, T. A., 381–393
Warbler
  Black-and-white, see *Mniotilta varia*
  Black-throated Blue, see *Dendroica caerulescens*
  Blyth's Reed, see *Acrocephalus dumetorum*
  Eurasian Reed, see *Acrocephalus scirpaceus*
  Fan-tailed, see *Cisticola juncidis*
  Nashville, see *Vermivora ruficapilla*
  Paddyfield, see *Acrocephalus agricola*
  Prairie, see *Dendroica discolor*
  Reed, see *Acrocephalus scirpaceus*
  Sedge, see *Acrocephalus schoenobaenus*
  Wilson's, see *Wilsonia pusilla*
Washington, 1–10, 289, 359, 427
West Greenland, 416–422
Williamette Valley, 402
Wilsonia pusilla, 22
winter habitat, 74–80, 172–178, 233–242
Wisconsin, 10, 179
Woodcreeper
  Buff-throated, see *Xiphorhynchus guttatus*
  Ivory-billed, see *Xiphorhynchus flavigaster*
  Olivaceous, see *Sittastomus griseicapillus*
  Plain-brown, see *Dendrocincla fuliginosa*
  Streak-headed, see *Lepidocolaptes souleyetti*
  Tawny-winged, see *Dendrocincla anabatina*
  White-striped, see *Lepidocolaptes leucogaster*
Woodpecker
  Golden-cheeked, see *Melanerpes chrysogenys*
  Great Spotted, see *Dendrocopos major*
  Pileated, see *Dryocopus pileatus*
  Red-headed, see *Melanerpes erythrocephalus*
Wren
  Buff-breasted, see *Thryothorus leucotis*
  Carolina, see *Thryothorus ludovicianus*
  House, see *Troglodytes aedon*
  Marsh, see *Cistothorus palustris*
  Sedge, see *Cistothorus platensis*
  Stripe-backed, see *Campylorhynchus nuchalis*
  Winter, see *Troglodytes troglodytes*
Wunder, M. B., 74–80
Wyoming, 416, 423–429
Xanthocephalus xanthocephalus, 292
Xanthopsar flavus, 173, 177
Xiphorhynchus flavigaster, 141–151
X. guttatus, 149
Xolmis irupero, 62, 174
Yellow-Finch
  Grassland, see *Sicalis luteola*
Yucatan Peninsula, 141
Zenaida auriculata, 174
Z. macroura, 290
Zheng, G-M., 37–44
Zhujia Mountains, 38
Zonotrichia capensis, 62, 174, 176
Z. leucophrys, 424, 427
Zuojia Natural Protection Area, 39